Product Guide 2016

You Tube Page 1 • Product List Index **Bike Racks** 2 • Wall Mounted Bike Racks 3 • Surface Mounted Bike Racks Multiple Storage Bike Racks **Bollards** 5 • Impact Rated Bollard White Knight 5 • Bank Bollard 6-7 • Fixed Base Plated Bollards 8-9 • Fixed In Ground Bollards 10-11 • Removable In Ground Bollards 12 • Removable Surface Mounted Bollards 12-13 • Twist Lock Removable Bollards 14 • Manual Retractable Below Ground Bollards 14 • Retractable Below Ground Bollards **Platinum Range** 15 • Retractable Below Ground Bollards 16 • Collapsible Bollards/ Parking Protectors 17-18 • Flexible Bollards 19 • Bollard Accessories Bunding 20-21 • Bundmate Bunding System & Sealants **Corner Guards** (Rubber & Galvanised corner guard) 22 23-24 **Guard Rail Expanding Barriers** Superguard, Safeguard, Flexiguard, Securaguard, Port-O-Guard & Accessories 28-29 • Xguard & Accessories 30 Kerbing Separation Material 31 **Queuing Systems Services Protection** 32 • Cable Cover 32 • Down Pipe Protector **Civic & Urban Furniture** 33 • Bench Seats 34-35 • Litter Bins & Ash Bins Speed Humps 36 • SlowGo Steel & Rubber Speed Humps 37-38 • One-way traffic spike systems 39 **Storage Boxes Traffic Safety Products** 40-43 • Cones, Tapes, Vests, T-Tops, Traffic Wands etc Warehouse Safety (Pallet Protectors, Docking Rubber, Pallet Gates) 44 45 • Safety Mirrors & Brackets Wheel Stops (Concrete, Metal, Plastic & Rubber) 46

Watch us on

BIKE RACKS – WALL MOUNTED

Product	Product Description	
Hangman - Galvanised Steel		
EEEC .	 Hangman Bike Rack – Galvanised Steel Size- 600mm Depth x 710mm Height Material - Galvanised steel Capacity- 1 Bike 	
BIKERACK-HANG Hangman - Stainless Steel	Frames for wail mounted bike racks	
Hangillan - Stanless Steel		
BIKERACK-HANGSS	 Hangman Bike Rack - Stainless Steel Size- 600mm Depth x 710mm Height Material – Stainless steel Capacity- 1 Bike 	
Space Saver – Galvanised Steel Pow	der Coated	
BIKERAC-SPSAVE Space Saver – Hot Dipped Galvanise	 Space Saver Bike Rack Size- 350mm Width x 600mm Depth x 450mm Height Material - Mild steel powder coat black finish Capacity- 1 Bike 	
and the ball of the second states		
BIKERAC-SPSAVEG	 Space Saver Bike Rack Size- 350mm Width x 600mm Depth x 450mm Height Material – Hot dipped galvanised Capacity- 1 Bike 	
Scarecrow – Galvanised Steel Powder Coated		
BIKERAC-SCARE	 Scarecrow Bike Rack Size - 350mm Depth x 535mm Height Double hanging Material - Mild steel powder coat black finish Capacity- 2 Bike 	

DISTRIBUTOR/AGENT

BIKE RACKS – SURFACE MOUNTED

Product	Product Description		
Flat Top - Galvanised Steel			
BIKERACK-FLATOP	 Flat Top Bike Rack - Galvanised Steel Size- 850mm x 800mm Capacity- 2 bikes Flat top bike rack hot galvanised finish Base plated 		
Hooped - Galvanised Steel			
	 Hooped Bike Rack- Galvanised Steel Size- 850mm x 800mm Capacity- 2 bikes Hoop Bike Rack Hot galvanised finish Base plated 		
BIKERACK-HOOPGB BIKERACK-HOOPGI	Hoop Bike Rack Hot galvanised finish In ground		
Hooped – Stainless Steel			
BIKERACK-HOOPSB	 Hooped Bike Rack- Stainless Steel Size- 850mm x 800mm 316 Stainless Available on Request Capacity- 2 bikes Hoop Bike Rack 304 SS Base Plated Hoop Bike Rack 304 SS In ground 		
BIKERACK-HOOPSI Circular Ring - Galvanised Powder Coated or Stainless Steel			
	 Circular Ring Bike Rack- Galvanised Powder Coated Height: 800 mm Capacity- 2 bikes Circular bike rack Base plated 		
BIKERACK-CIRCG	Galvanised finish option Stainless steel finish option		
BIKERACK-CIRCSS			

DISTRIBUTOR/AGENT

BIKE RACKS – MULTIPLE STORAGE

Product	Product Description
P-Style - Galvanised Steel Powder Coated	
BIKERACK-PSTYG BIKERACK-PSTYSS	 P-Style Bike Rack - Galvanised Steel Size- 850mm x 1200mm Material- Galvanised mild steel pipe powder coated Base plated Capacity- 4 bikes Galvanised, powder coated Stainless steel
Millennium - Galvanised steel	
BIKERACK-MIL	 Millennium Bike Rack - Galvanised Steel Size- 1900mm(L) x 900mm(W) x 860mm H) Material- Hot galvanised finish Capacity- 7 bikes Double Sided Access
Millennium - Stainless Steel	
BIKERACK-MILSS	 Millennium Bike Rack - Stainless Steel Size- 1900mm(L) x 900mm(W) x 860mm(H) Material- Stainless steel Capacity- 7 bikes Double Sided Access
Combination - Galvanised Steel Powder Co	pated
BIKERACK-COMB01 BIKERACK-COMB02	 Combination Bike Rack – Galvanised Powder Coated Size: variable (500mm centres) Material: Galvanised steel & powder coated finish Capacity – optional Single sided bike rack Double sided bike rack
Spiral - Stainless Steel	
BIKERACK-SPIRAL	 Spiral Bike Rack - Stainless Steel Tube Diameter: 51mm Length: 2800mm Height: 800mm Material: Stainless steel Length can be added or reduced (request quotation) Capacity- 4 bikes

DISTRIBUTOR/AGENT

IMPACT RATED & CRASH TESTED

WHITE KNIGHT BOLLARDS



Product **Product Description** Impact Resistant Bollard "WHITE KNIGHT" – Crash Tested Impact Resistant Bollard "WHITE KNIGHT" Crash tested Provides enhanced safety • Engineered to stop standard passenger vehicles (up to 1600kg travelling at 60kph) • The high-tech design includes a submerged footing that can withstand the vehicle impact, decreasing the risk of personal and property damage • Damaged bollards can be easily replaced without requiring major civil works • Available in a wide range of standard and contemporary colours and designs • 360 degree performance • Graffiti-proofing available Please refer to the website for accessories: **BOL WHT KNIGHT BANK BOLLARD** Product **Product Description** Reinforced (Bank) Bollard- Engineered to protect ATM machines from ram raiding Reinforced (bank) bollard High strength, structurally reinforced (to be concrete filled) Flame and cut resistant

- Height above ground: 1000mm
- Diameter: 140mm
- Footing: 600mm
- Depth in ground: 500mm
 Galvanised steel finish

BOL REIN BANK BOL REIN BANKSS

FIXED BASE PLATED BOLLARDS

Proc	duct	Product Description	
Standard Round - G	Standard Round - Galvanised Powder Coated		
		Standard Round Bollard with base plate and solid cast aluminium polished dome top	
	BOL SRA-5Y (Yellow) BOL SRA-5W (White)	 Height: 1243mm Diameter: 90mm Galvanised steel Powder coat finish Colours: Yellow or white Custom colours (additional cost) 	

Standard Round - Stainless Steel

BOL SRA-51	 Standard Round Bollard with base plate Height: 1000mm Diameter: 90mm Manufactured in 304 Stainless 316 Stainless Available on Request
------------	---

Guardian Round - Galvanised Powder Coated (with decorative top)		
=	Guardian Round Bollard with base plate	
=	Height: 970mm	
	Diameter: 90mm	
	 Base plate for fixing to ground surface 	
	Cast aluminium feature top	
	Galvanised steel	
	White powder coat finish	
BOL TLB-4	Custom colours (additional cost)	

Economy Round - Galvanised Powder	Coated (knock on cap)	
	Economy Round Bollard with base plate	
	Height: 900mm	
	Diameter: 90mm	
	Base plate for fixing to ground surface	
	Galvanised steel	
	Yellow powder coat finish	
BOL ECO-TLB 4	Custom colours (additional cost)	

6

FIXED BASE PLATED BOLLARDS

Product	Product Description
Standard Square - Galvanised Pov	vder Coated
BOL SSA-1Y (Yellow) BOL SSA-1W (White)	 Standard Square Bollard with base plate with pyramid top Height: 1000mm Width: 90mm x 90mm Galvanised steel powder coat finish Colours: Yellow or white Custom colours (additional cost)
Heavy Duty Round - Galvanised P	owder Coated
BOL HRA-7Y (Yellow) BOL HRA-7W (White)	 Heavy Duty Round Bollard with base plate with solid cast aluminium polished domed top Height: 1295mm Diameter: 165mm Galvanised steel Powder coat finish Colours: Yellow or white Custom colours (additional cost)
Heavy Duty Round - Stainless Stee	el
BOL HRA-7SS	 Heavy Duty Round Bollard with base plate Height: 1200mm Diameter: 165mm Manufactured in 304 stainless 316 Stainless available on request
Heavy Duty Square - Galvanised P	Powder Coated
BOL HSA-3Y (Yellow) BOL HSA-3W (White)	 Heavy Duty Square Bollard with bolt down base Height: 1200mm Width: 150mm x 150mm Galvanised steel powder coat finish Colours: Yellow or white Custom colours (additional cost)

FIXED IN GROUND BOLLARDS

Pro	duct	Product Description
Standard Round - O	Galvanised Powder C	Coated
A		Standard Round in ground bollard with cast aluminium polished domed top
		 Height: 1000mm In ground: 330mm Diameter: 90mm Galvanised steel
	BOL SRB-6Y (Yellow) BOL SRB-6W (White)	

Standard Round - Stainles	ss Steel		
	BOL SRB-6SS	 Standard Round in ground bollard Height: 1000mm In ground: 300mm Diameter: 90mm Manufactured in 304 Stainless 316 Stainless Available on Request 	

Economy Round - Galvanised Powder Coated		
BOLEC	 Economy Round in ground bollard Height: 900mm Diameter: 90mm In ground: 300mm Galvanised steel Yellow powder coat finish Custom colours (additional cost) 	

Guardian Round - Galvanised Powder	Coated (with decorative top)
BOL TLB-5	Guardian Round in ground bollard • Height: 1000mm • In ground: 300mm • Diameter: 90mm • Cast aluminium feature top • Galvanised steel • White powder coat finish • Custom colours (additional cost)

FIXED IN GROUND BOLLARDS

Product	Product Description	
Standard Square - Galvanised Powder Coated		
BOL SSB-2Y (Yellow) BOL SSB-2W (White) Heavy Duty Square - Galvanised Po	 Standard Square fixed in ground bollard Height: 1000mm In ground: 300mm Width: 90mm x 90mm Pyramid top Galvanised steel powder coat finish Colours: Yellow or white Custom colours (additional cost) 	
BOL HSB-4Y (Yellow) BOL HSB-4W (White)	 Heavy Duty Square fixed in ground bollard Height: 1200mm In ground: 400mm Width: 150mm x 150mm Pyramid top Galvanised steel powder coat finish Colours: Yellow or white Custom colours (additional cost) 	
Heavy Duty Round - Galvanised Po	wder Coated	
BOL HRB-8Y (Yellow) BOL HRB-8W (White)	 Heavy Duty Round fixed in ground bollard Height: 1200mm In ground: 480mm Diameter: 165mm Cast aluminium polished domed top Galvanised steel Powder coat finish Colours: Yellow or white Custom colours (additional cost) 	
Heavy Duty Round - Stainless Steel		
BOL HRB-8SS	 Heavy Duty Round fixed in ground bollard Height: 1200mm In ground: 400mm Diameter: 165mm Flat top Manufactured in 304 Stainless 316 Stainless Available on Request 	

In-Ground Bollards

REMOVABLE IN-GROUND BOLLARDS

Product	Product Description	
Standard Round Removable (below ground sleeve) - Galvanised Powder Coated		
BOL SRRB-10Y (Yellow) BOL SRRB-10W (White)	 Standard Round Removable in ground Bollard includes concrete ground sleeve Height: 1000mm In ground: 300mm Diameter: 90mm Cast aluminium polished domed top Locking by way of padlock (not supplied) Galvanised steel, powder coat finish Colours: Yellow or white- Custom colours (additional cost). 	
Standard Square Removable - Galvanised Powder Coated		
	 Standard Square Removable in ground Bollard includes concrete ground sleeve Height: 1000mm in ground: 300mm Width: 90mm x 90mm Locking by way of padlock (not supplied) 	

- Galvanised steel, powder coat finish
- Colours: Yellow or white
- BOL SSRB-9Y (Yellow) BOL SSRB-9W (White)
 - Custom colours (additional cost).

Heavy Duty Round Removable (below ground sleeve) - Galvanised Powder Coated

BOL HRRB-8W(White) BOL HRRB-8Y (Yellow)	 Heavy Round Removable in ground Bollard includes concrete in ground sleeve Height: 1200mm in ground: 400mm Diameter: 165mm Cast aluminium polished domed top Locking by way of padlock (not supplied) Galvanised steel, powder coat finish Colours: White or Yellow- Custom colours (additional cost). 	
--	--	--

DISTRIBUTOR/AGENT

REMOVABLE IN-GROUND BOLLARDS

Product	Product Description
Economy Round Removable - (With Key) - Galvanised Powder Coated	
BOL ECO-TLB 1	 Economy Round – Removable in ground bollard Height: 900mm Diameter: 90mm Galvanised steel Yellow powder coat finish Custom colours (additional cost)
Extra Security Round Remova	able - (Top locking with Registered Key) - Galvanised Powder Coated
BOL ECO-TLB 1-BL	 Extra Security Round – Removable in ground bollard Height: 900mm Diameter: 90mm Heavy duty wall thickness Bilock registered key (construction core) Galvanised steel Yellow powder coat finish -Custom colours (additional cost) (Typically used for the Woolworths & Coles group)
Guardian Round Removable	- (Top Locking - Alloy Sleeve & Decorative Top) - Galvanised Powder Coated
BOL TLB-1	 Guardian Round – Removable in ground bollard Height: 975mm Diameter: 90mm Locking by way of key lock (supplied) Cast aluminium feature top & sleeve Galvanised steel White powder coat finish - Custom colours (additional cost)
Top Locking Bollards - Stainless Steel	
BOL TLB-1 SS90 BOL TLB-1 SS141 BOL TLB-1 SS165	Top Locking Round Removable in ground Bollard• Includes in ground sleeve and keyDiameter:90mmHeight:900mmDiameter:141mmHeight:900mmDiameter:165mmHeight:900mm

REMOVABLE SURFACE MOUNTED BOLLARDS

Standard Square Rem	ovable (above ground sleeve) - Galvanised Powder Coated
* D	
BOL SSRA-11Y BOL SSRA-11W	 Standard Square Removable above ground bollard Height: 1000mm Width: 90mm x 90mm Locking by way of padlock (supplied separately) Galvanised steel, powder coat finish Colours: Yellow or white- Custom colours (additional cost).
Economy Top Locking	Removable (above ground alloy base) - Galvanised Powder Coated
BOL ECO-TLB 2	 Economy Round Removable above ground bollard Height: 900mm Diameter: 90mm Locking by way of key lock Heavy duty alloy base Galvanised steel Yellow powder coat finish- Custom colours (additional cost)
Guardian Top Locking Removable (above ground alloy base) - Galvanised Powder Coated	
BOL TLB-2	 Guardian Round Removable above ground bollard Height: 1040mm Diameter: 90mm Locking by way of key lock Cast aluminium feature top & sleeve Galvanised steel White powder coat finish- Custom colours (additional cost)

TWIST LOCK REMOVABLE BOLLARDS

Product	Product De	scription	
Standard Round Twis	Lock Bollard - Galvanised Powder Coat	ed (comes with key lock)	
	Standard Round – Twist Lock Removable	above ground bollard	
	Diameter: 90mm	TI I	
	Height: 1000mm		
(and)	• Wall: 5mm		
	Weight: 10kg		
	Base Plate: 200mm DIA		
SRA-5TL	• Number of fixings: 4 x 12mm		

TWIST LOCK REMOVABLE BOLLARDS

Product	Product Description	
Standard Round Twist Lock Bollard – Stainless Steel (comes with key lock)		
SRA-5TLSS	Standard Round – Twist Lock Removable above ground bollard Diameter: 90mm STAINLESS STEEL Height: 1000mm Wall: 5mm Weight: 10kg Base Plate: 200mm DIA Number of fixings: 4 x 12mm	
Standard Square Twi	: Lock Bollard – Galvanised Powder Coated or Stainless Steel (comes with key lock)	
SSA-1TL	tandard Square – Twist Lock Removable above ground bollard Diameter: 89 x 89mm GALV & POWDER COATED Height: 1000mm Wall: 5mm Weight: 16kg Base Plate: 200 x 200mm Number of fixings: 4 x 12mm	
	ist Lock Bollard - Galvanised Powder Coated (comes with key lock)	
HRA-7TL	eavy Duty Round– Twist Lock Removable above ground bollard Diameter: 165mm GALV & POWDER COATED Height: 1200mm Wall: 5mm Weight: 28kg Base Plate: 300mm Number of fixings: 4 x 16mm	
Heavy Duty Round	ist Lock Bollard – Stainless Steel (comes with key lock)	
HRA-7TLSS	eavy Duty Round– Twist Lock Removable above ground bollard Diameter: 165mm STAINLESS STEEL Height: 1200mm Wall: 3.4mm Weight: 28kg Base Plate: 300mm Number of fixings: 4 x 16mm	
Heavy Duty Round F	xible Twist Lock Bollard - Galvanised Powder Coated (comes with key lock)	
HRA-7TLFL	eavy Duty Round– Flexible Twist Lock Removable above ground bollard Diameter: 140mm GALV WITH POLY INSERT & P/COATED Height: 1200mm Wall: 5mm Weight: 28kg Base Plate: 300mm Number of fixings: 4 x 16mm	

14

POLITE ENTERPRISES CORPORATION

MANUAL RETRACTABLE BELOW GROUND BOLLARDS

Guardian Top Locking Retractable - Galvanised Powder	Coated
BOL TLB-3	 Guardian Retractable below ground bollard Height: 900mm - In ground: 1200mm Diameter: 90mm Locking by way of key lock Galvanised steel -cast aluminium top & HDG in ground sleeve White powder coat finish - Custom colours (additional cost)

PLATINUM RANGE - RETRACTABLE BOLLARDS

Manual Pull Up Retractable - Galvanised Powder Coated – Machine finished scalloped handles		
BOL RET 89-900G	Retractable Bollard - galvanised powder coated• Height:900mm• Diameter:90mm• Galvanised steel, powder coat finish• Thickness:3.5mm	
BOL RET 114-900G BOL RET 133-900G	Retractable Bollard - galvanised powder coated • Height: 900mm • Diameter: 114mm • Galvanised steel, powder coat finish • Thickness: 4.5mm Retractable Bollard - galvanised powder coated • Height: 900mm • Diameter: 133mm • Galvanised steel, powder coat finish • Thickness: 4.5mm	
Manual Pull Up Retractable - Stainless Steel		
BOL RET 89-900SS	Retractable Bollard - stainless steel• Height:900mm• Diameter:90mm• Stainless steel	
BOL RET 114-900SS	Retractable Bollard - stainless steel• Height:900mm• Diameter:114mm• Stainless steel	
BOL RET 133-900SS	Retractable Bollard - stainless steel • Height: 900mm • Diameter: 133mm • Stainless steel . • Thickness: 3mm	

PLATINUM RANGE - RETRACTABLE BELOW GROUND BOLLARDS

Product	Product Description	
Semiautomatic Retractable (key turn auto up, manual push down) - Galvanised Steel		
BOL SEMI 114-9000	Semi Automatic Retractable Bollard 114mm Diameter x 900mm Height Galvanised steel, powder coated Locked in position with key	
BOL SEMI 133-9000	Semi Automatic Retractable Bollard 133mm Diameter x 900mm Height Galvanised steel, powder coated Locked in position with key	
BOL SEMI 168-900G	Semi Automatic Retractable Bollard 168mm Diameter x 900mm Height Galvanised steel, powder coated Locked in position with key	
BOL SEMI 220-900G	Semi Automatic Retractable Bollard 220mm Diameter x 900mm Height Galvanised steel, powder coated Locked in position with key	
Semiautomatic Retractable (k	ey turn auto up, manual push down) – Stainless Steel	
BOL SEMI 114-900SS	Semi Automatic Retractable Bollard 114mm Diameter x 900mm Height Stainless Steel Locked in position with key	
BOL SEMI 133-90055	Semi Automatic Retractable Bollard 133mm Diameter x 900mm Height Stainless Steel Locked in position with key	
BOL SEMI 220-900SS	Semi Automatic Retractable Bollard 220mm Diameter x 900mm Height Stainless Steel Locked in position with key	
Automatic Retractable – Stain	less Steel or Galvanised Steel	
BOL AUTO	 Automatic Retractable Bollard - Pneumatic Automatic pneumatic control LED lights and reflective tape optional Control box operates 1-3 bollards Height above ground: 600mm or 900mm Diameter: 168mm or 220mm Material: Stainless steel or Galvanised steel 	

15

COLLAPSIBLE BOLLARDS

Standard Collapsible - Galvan	ised Powder Coated	
V.	BOL SSCA–12Y (Yellow) BOL SSCA-12W (White)	 Standard Square - collapsible bollard Height: 800mm Width: 90mm x 90mm Locking by way of padlock (supplied separately) Galvanised steel, powder coat finish Colours: White or Yellow Custom colours (additional cost).
	BOL SSCB-13Y (Yellow) BOL SSCB-13W (White)	 Standard Square - collapsible bollard Height: 800mm Width: 90mm x 90mm Locking by way of padlock (supplied separately) Galvanised steel, powder coat finish Colours: White or Yellow Custom colours (additional cost).
Economy Round Collapsible -	Galvanised Powder Co	pated
E	BOL PROTECTOR01	 Economy Round - collapsible bollard Diameter:65mm Height:620mm Material: Steel Paint: Electrophoretic paint Colour: Yellow
Automatic Parking Protector		
	BOL AUTOPARK 01	 Automatic Parking Protector - Remote Operated by remote control. Collapses to allow easy access to your own parking spot.
Parking Protector		
	BOL DJ-LOCK(key) BOL DJ(padlock)	 Manual Parking Protector - collapsible 2 models available: Key Operated Padlock Operation "Protect your parking bay from unauthorised access".

17

POLITE ENTERPRISES CORPORATION

FLEXIBLE BASE PLATE BOLLARDS

Product	Product Description	
Standard and Heavy Duty Round Flexible Bollards Base Plated - Galvanised Steel Powder Coated		
BOL SRA5FL	 Standard Round flexible – above ground bollard Height: 1000mm Diameter: 90mm Galvanised steel High strength polypropylene insert Yellow powder coat finish Custom colours (additional cost) 	
BOL HRA7FL	 Heavy Duty Round flexible – above ground bollard Height: 1200mm Diameter: 140mm Galvanised steel High strength polypropylene insert Yellow powder coat finish Custom colours (additional cost) 	
Standard and Heavy Duty Round Fle	exible Bollards Base Plated - Stainless Steel	
BOL SRA 5FLSS	 Standard Round flexible – above ground bollard Height: 1000mm Diameter: 90mm Stainless Steel High strength polypropylene insert 	
BOL HRA 7FLSS	 Heavy Duty Round flexible – above ground bollard Height: 1200mm Diameter: 140mm Stainless Steel High strength polypropylene insert 	
Flexible Bollard- Rubber	l	
BOL FLEX-450	 Flexible Rebound Bollard – above ground bollard Extremely durable synthetic rubber Highly reflective bands Sizes: 450mm & 750mm 	

BOL FLEX-450 BOL FLEX-750

FLEXIBLE IN GROUND BOLLARDS


Product	Product Description	
Standard and Heavy Duty Round Flexible In Ground - Galvanised Steel Powder Coated		
BOL SRB-5FL	 Standard Round - flexible in ground bollard Height: 1000mm Diameter: 90mm High strength polypropylene insert Galvanised steel Yellow powder coat finish Custom colours (additional cost) 	
BOL HRB-7FL	 Heavy Duty Round - flexible in ground bollard Height: 1200mm Diameter: 140mm High strength polypropylene insert Galvanised steel Yellow powder coat finish Custom colours (additional cost) 	
BOL SRB 5FLSS	 Standard Round - flexible in ground bollard Height: 1000mm Diameter: 90mm High strength polypropylene insert 	
BOL HRB 7FLSS	 Heavy Duty Round - flexible in ground bollard Height: 1200mm Diameter: 140mm High strength polypropylene insert 	

BOLLARD ACCESSORIES

Produ	uct	Product Description
Bollard Accessories		
	BOL CHAIN EYES	Stainless steel chain eye • Suits all bollards
	BOL HANDLES	Lifting handles
	BOL DOORPROTECT	Roller door protection unit • Suits removable bollards
8 L	BOL SLEEVE ALUM (in ground) BOL SLEEVE IG (in ground) BOL SLEEVE AG (Above Ground) BOL SLEEVE ECO (Above Ground)	In ground aluminium sleeve • Suits TLB 1 & ECO TLB 1 bollards • (concrete in ground) c/w hinged Lid In ground standard sleeve • Suits 90mm round or square bollards c/w Lid Above ground standard sleeve • Suits 90mm round or square bollards c/w Lid Above ground ECO TLB 1 sleeve • Suits 90mm round or square bollards c/w Lid
	BOL-COV165Y BOL-COV165R	Bollard cover - yellow To suit 165 diameter bollard Bollard Cover - red To suit 165 diameter bollard

19

SEALANTS FOR BUNDMATE PURPOSE BUILT BUNDING SYSTEM FOR SPILL CONTAINMENT



SEALANTS FOR BUNDMATE


PURPOSE BUILT BUNDING SYSTEM FOR SPILL CONTAINMENT

Product		Product Description
Sealants for Bundmate		
	SEAL004	Sealants for bundmate Sikaflex®-11FC One Component Polyurethane Sealant/Adhesive (SUITABLE FOR CONTAINING WATER) comes in a 310ml cartridge
	SEAL007	Chemical resistant polyurethane joint sealant Sikaflex [®] -Tank (SUITABLE FOR CONTAINING PETROL AND OTHER CHEMICALS) comes in a 600ml sausage pack only

CORNER GUARDS



CAR PARKING PRODUCTS – GUARD RAIL



CAR PARKING PRODUCTS – GUARD RAIL

Product	Product Description
Guard Rail (small bull nose te	rminal end) - Galvanised Powder Coated
GUARDRAIL014A	Galvanised steel stubby nose terminal end Powder coated yellow (additional cost)
Guard Rail (post bolt & nut)	
GUARDRAIL 021	Guard rail post – bolt & nut (one per post)
Guard Rail (splice bolt & nut)	
	Guard rail terminal ends – bolt & nut (four per end)
GUARDRAIL 023 Bumper Rail Modular System	
BUMPER RAIL002 BUMPER RAIL003 BUMPER RAIL004	 Modular bumper rail system. Includes 2 or 3 posts & 1 x (variable) length bumper rail. 140mm posts x 600mm high with cap, c/- mounting bracket for horizontal bumper rail 90mm horizontal rail with caps (2-mtr, 3-mtr or 4-mtr lengths)

24

EXPANDING BARRIERS

Product	Product Description	
Superguard - (expands up to 3.4	•	
S/G 101YB (Yellow/Black) S/G 101WR (White/Red) Superguard Xtra - (expands up to	Superguard expanding barrier Heavy Duty outdoor / indoor use. Weight: 13kg Height: 945mm Expands: up to 3.4 metres Colours: Red & White, Yellow & Black. Custom colours available	
	Superguard Xtra 5.5 metre Expanding Barrier Heavy Duty Indoor/Outdoor use. Height: 945mm Weight: 20kg Expands: up to 5.5 metres	
S/G 102WR (White/Red) S/G 102YB (Yellow/Black)	Colours: White & Red, Yellow & Black.	
Safeguard - (expands up to 3 me	ters)	
S/G 110VB (Yellow/Black) S/G 110VR (White/Red)	Safeguard expanding barrier Lightweight indoors use Height: 905mm Weight: 5kg Expands: up to 3.0 metres Colours: Red & White, Yellow & Black. Custom colours available	
Flexiguard – (expands up to 5.5 meters)		
	Flexiguard expanding barrier Heavy Duty outdoor / indoor use with a hinged middle leg component allowing it to bend in the centre, forming a right angle (2x Flexiguards forms a square) Expands: up to 5.5 metres	
	Colours: Red & White	
S/G 120RW (Red/White)		

EXPANDING BARRIERS

Product	Product Description		
Securaguard - (expands up to 1.	5 meters)		
	Securaguard expanding barrier Opens automatically via internal spring mechanism. Expands: up to 1.5 metres		
S/G 130YW (Yellow/White)			
Port-O-Guard - (expands up to 2	Port-O-Guard - (expands up to 2 meters)		
5/G 180	Lightweight plastic barrier: Port-O-Guard Height: 1.1meters Weight: 7kg Expands: up to 2.0 metres Colours: Red & White Has Flashing Red Lights on Each End		

EXPANDING BARRIERS - ACCESSORIES

Securaguard Accessories - Sign Bracket		
PLEASE QUEUE HERE	S/G 151	T-Style sign bracket – to suit small sign Suitable for Superguard, Flexiguard models.
LP GAS STORAGE NO SMORING OR OPEN FLAMES WITHIN M	S/G 152	Hanging sign bracket – to suit large sign Suitable for all models.

26

EXPANDING BARRIERS - ACCESSORIES


Produc	t	Product Description
Expanding Barrier -	Accessories	
P	S/G 153	Flashing lamp / flag bracket Suitable for Superguard & Flexiguard models.
	S/G 154	Superguard extension feet (1 pair) 600mm long – for very windy conditions Suitable for Superguard models only.
J. J. J.	S/G 155 (Superguard) S/G 156 (Safeguard)	Superguard foot complete with casters. (1 foot with 2 casters) Safeguard Feet complete with Casters. (1 foot with 2 casters)
	S/G 157	Superguard locking brackets Suitable for Superguard & Flexiguard models only.
	S/G 158	Custom wall bracket kit Suitable for Superguard models only.
	S/G 159	Weight plates (x4) Suitable for Superguard and Safeguard model.
	S/G 160	Trolley to carry barricades Suitable for all models.

27

XGUARD BARRIER

Product	Product Description		
Xguard Expanding Barrier – (expands up to 3 meters)			
S/G 170W (White guard) S/G 170B (Black guard) S/G 170B (Black guard)	 Strong, durable, aluminium SHS quality construction. Made with solid rivets and internal nylon slide block. Height: 1.8m Expands: up to 3m Colours: White or Black (only) Includes 2 posts with castors 		
S/G 170W6M (White guard) S/G 170B6M (Black guard)	 Strong, durable, aluminium SHS quality construction. Made with solid rivets and internal nylon slide block. Height: 1.8m Expands: up to 6m Colours: White or Black (only) Includes 3 posts with castors 		


XGUARD BARRIER ACCESSORIES



DISTRIBUTOR/AGENT

XGUARD BARRIER

ACCESSORIES



DISTRIBUTOR/AGENT

SEPARATION KERBING

Product	Product Description
Separation Kerbing	·
	 Separation kerbing Yellow and black middle sections 275mm wide x 85mm high x 1000mm long c/-embedded reflective tape each side (includes *post). Reboundable *post 900mm (fixed height) Black connecting feathered-down end caps 500mm long to suit (male and female required per run). KERB SEP 100Y 1000mm middle section Yellow KERB SEP 100B 1000mm end cap male Black KERB SEP ECM 500mm end cap female Black KERB SEP POST (can be sold separately)
KERB SEP	

CROWD CONTROL BARRIERS QUEUING SYSTEM

Product		Product Description
Quick Queues – Chrome	finish pos	sts with retractable belt
		001-Quick-Q Post – Black Tape 002-Quick-Q Post – Red Tape 003-Quick-Q Post – Blue Tape 004-Quick-Q Post – Yellow Tape 005-Quick-Q Post – Grey Tape Chrome Post includes Retractable Belt to 1.8 metres Powder Coated posts
QQ-001 QQ-002 QQ-005	QQ-004 QQ-003	
		QQ-031–Black Tape-Chrome QQ-032–Red Tape-Chrome QQ-033–Blue Tape-Chrome QQ-041–Black Tape-P/coated QQ-042–Red Tape-P/coated QQ-043–Blue Tape-P/coated
QQ-031 QQ-032 QQ-033	QQ-041 QQ-042 QQ-043	Wall Mounted Cassette – CHROME OR POWDER COATED (Includes Retractable Belt)
QQ-051	QQ-052	QQ-051-Clip-Chrome QQ-052-Clip-P/coated
ENTER HERE FOR TICKET PURCHASE		Quick-Q A4 Sign Holder- Chrome Quick-Q A4 Sign Holder- P/coated
	QQ-061 QQ-062	

CABLE COVER

Product	Product Description		
Channel Cable Cover - (Suitable fo	Channel Cable Cover - (Suitable for vehicles)		
	3 Channel cable cover		
	2 x channels 65mm wide		
Skippenette	1 x channel 50mm wide		
СС-СНЗ	• 580mm wide		
(3 Channel - Pictured)	60mm high860mm long		
CC-CH5 (5 Channel - Pictured)	 <u>5 Channel cable cover</u> 5 x trays at 35mm wide 590mm wide 80mm high 960mm long 		
	<u>5 Channel cable cover 90 deg bends*</u>		
CC-CH5-90 (90 Deg Bend)			
	5 Channel cable cover end cap*		
CC-CH-END			
(End Cap)	* 90 Deg bends and end caps available for the 5 Channel only		

DOWN PIPE PROTECTOR

Product	Product Description	
Down Pipe Protector - Galvanise	d Steel	
PIPE PROT300GAL PIPE PROT300P/C	 Down pipe protector 300mm web x 300mm legs Height – 1200mm Material- Galvanised steel Additional powder coated safety yellow option 	

32

Bench Seats

CIVIC & URBAN FURNITURE - SEATING

Product	Product Description
Seating – Steel or Timber	
SEAT-PROM BENCH	The Promenade Bench Seat 1,800mm bench seat, curved profile, with steel slats. Galvanised and powder coated finish
SEAT-PROM PARK	The Promenade Park Seat 1,800mm park seat with back, curved profile, with steel slats. Galvanised and powder coated finish
SEAT-MELB BENCH	The Melbourne Bench Seat 1,800mm bench seat, flat profile, hardwood timber slats. Solid steel frame, galvanised and powder coat finish
SEAT-MELB PARK	The Melbourne Park Seat 1,800mm park seat with back, flat profile, hardwood timber slats. Solid steel frame, galvanised and powder coat finish

CIVIC & URBAN FURNITURE – LITTER BINS

Product	Product Description	
Litter Bins – Galvanised or Stainless Steel Powder Coated		
BIN LASER WAVES	 Wave style stainless steel bin [800h x 460w x 55 ltr] Laser cut wave slotted perforated body Stainless steel body, powder coat finish Polished stainless-steel doughnut hinged-lid 	
BIN MCC STYLE	 MCC style bin [800h x 460w x 55 ltr] Square perforated body Galvanised steel body, powder coat finish Polished stainless-steel doughnut hinged-lid 	
BIN MET H	 MET H style bin [800h x 460w x 55 ltr] Horizontal slotted perforated body Galvanised steel body, powder coat finish Polished stainless-steel doughnut hinged-lid 	
BIN PARKLAND	 Parkland style bin [800h x 460w x 55 ltr] Galvanised steel body, powder coat finish Hinged-lid 	

34

CIVIC & URBAN FURNITURE – LITTER BINS

Product	Product Description
Litter Bins - Timber	
BIN WOOD CIRC	 Wooden bin Timber slats Steel spun lid Includes 55 litre bin liner
BIN TWO STATION	Recycle station (Wheelie bins not included)
Litter Bins – Stainless	
BIN TRIA PERF SS	 Stainless Steel Wheelie Bin Surround Stainless Steel Perforated triangles pattern body Square cut out entry for general waste Front hinged door
BIN SALT SS BIN PEPPER SS BIN ASH TRAY	 'Salt & Pepper' Recycle Bin & General Waste Bin (set) Stainless steel Wheelie Bin surrounds Raised Entry Lids Perforated triangles Front hinged doors Ashtray insert for outside waste bin available

CIVIC & URBAN FURNITURE – ASHTRAY BINS


Prod	uct	Product Description	
Ashtray Bins – S	tainless Steel		
	ASH BUTTSAFE	Buttsafe style receptacle 100 x 325 Polish stainless steel	35
TISZANDY	ASH RECEPTECAL	Stainless steel receptacle 150 x 200	

TRAFFIC CONTROL SYSTEMS – SLOW-GO SPEED HUMPS

Product	Product Description	
350mm Speed Hump - Rubber	•	
S/H RUB 350 S/H RUB3501 S/H RUB 350C	350mm rubber speed hump 350mm wide Rubber Speed Hump 50mm high (250mm sections Yellow & Black) 350mm wide Rubber Speed Humps 1m module 50mm high End Caps to suit 350mm wide End Caps	
450mm Speed Hump - Rubber		
S/H RUB 450 S/H RUB 450C	450mm rubber speed hump 75mm high 450mm wide x 75m high (New McDonald's Restaurant speed hump) End Caps	
900mm Speed Hump - Rubber		
S/H RUB 900-50W S/H RUB 900EC	900mm rubber speed hump 50mm high Size: 900mm wide x 500mm sections Black & White (anti-slip stripes) End Caps	
S/H RUB-900-75W S/H RUB-900-75Y S/H RUB-900-75EC	900mm rubber speed hump 75mm high Size: 900mm wide x 500mm sections Black & White (anti-slip stripes) Black & Yellow (anti-slip stripes) End Caps	
Standard Speed Hump - Metal		
SLOW-GO 010 (1m) SLOW-GO 011(1/2m) SLOW-GO 012(End caps)	 Standard Slow-Go metal speed hump 1 & ½ metre modules plus End Caps to suit. Can with stand 75 tonnes down force per square foot. Suitable for vehicles and occasional truck traffic. 	
Heavy Duty Speed Hump - Metal		
SLOW-GO 020(1m) SLOW-GO 021(1/2m) SLOW-GO 022(End caps)	Heavy duty Slow-Go metal speed hump 1 & ½ metre modules plus End Caps to suit. Can withstand 100 tonnes down force per square foot. Suitable for all vehicles including heavy truck traffic.	

36

TRAFFIC CONTROL SYSTEMS – ONE-WAY SPIKES



TRAFFIC CONTROL SYSTEMS – ONE-WAY SPIKES		
Product	Product Description	
Above Ground (one way) – Automatic Lock Do	•	
SLOW-GO 070C (Control module -1m) SLOW-GO 070(1m) SLOW-GO 071(1/2m) SLOW-GO 072 (end caps)	Aboveground one way system - automatic. Prevents wrong way traffic & unauthorised entry.	
In Ground (one way)		
SLOW-GO 050(1m) SLOW-GO 051(1/2m)	In ground one way system. Prevents wrong way traffic & unauthorised entry.	
In Ground (one way) – Manual Lock Down		
SLOW-GO 060L(1m) SLOW-GO 060(1m) SLOW-GO 061(1/2m)	In ground one way system – manual lock down. Prevents wrong way traffic & unauthorised entry.	
In Ground (one way) – Automatic Lock Down		
SLOW-GO 080C (Control module -1m) SLOW-GO 080(1m) SLOW-GO 081(1/2m)	In ground one way system – automatic. Prevents wrong way traffic & unauthorised entry.	

DISTRIBUTOR/AGENT

STORAGE BOXES

Product	Product Description
Storage Boxes – Urban Range	
	Storage boxes – urban range
	Galvanised Steel Construction
	 RHS Structure Polyester Powder Coated Panels Gas Struts opening and closing Double Pin locking mechanism Adjustable Legs
	Size (a) 2500mm wide x 2200mm High (box is 1000mm h x 1000mm w x 2500mm L) 1200mm clearance under side
OVERCAR URB25 OVERCAR URB22	Size (b) 2200mm wide x 2200mm High (box is 1000mm h x 1000mm w x 2200mm L) 1200mm clearance
Storage Boxes – Platinum Range	
	Storage boxes – platinum range
	Aluminium construction
	 Aluclad Aluminium Insulated Sandwich Panel Aluminium Extruded Legs and Frame Structure Gas Struts opening and closing Double Pin locking mechanism Adjustable Legs
	Size (a) 2500mm wide x 2200mm High (box is 1000mm h x 1000mm w x 2500mm L) 1200mm clearance under side
OVERCAR PLA25 OVERCAR PLA22	Size (b) 2200mm wide x 2200mm High (box is 1000mm h x 1000mm w x 2200mm L) 1200mm clearance

TRAFFIC SAFETY PRODUCTS

Product	Product Description	
Highway Traffic Cones		
CONE CHW500R	Hard (PE) plastic traffic cones with recycled rubber base CONE CHW500R – 500mm Highway Traffic Cone CONE CHW750R – 750mm Highway Traffic Cone CONE CHW1000R – 1000mm Highway Traffic Cone	
CONE CHW750R		
CONE CHW 1000R		
Soft (PVC) Plastic Traffic Cones		
CONE C300R PVC CONE C450R PVC CONE C450R PVC CONE C700R PVC CONE C450 PVC CONE C450 PVC	Soft PVC plastic traffic cones 300mm High With Reflective Sleeve (CONE C300R PVC) 450mm High With reflective sleeve (CONE C450R PVC) 700mm High With reflective sleeve (CONE C700R PVC) 300mm High (CONE C300 PVC) 450mm High (CONE C450 PVC) 700mm High (CONE C450 PVC) 700mm High (CONE C450 PVC)	
T-Top Portable Delineator		
DELIN 002	 T-Top portable delineator Weighing just 6kg this product is light enough to move around, but heavy enough to with stand all weather & traffic conditions. Height 1.1 metres Weight: 6kg 	

40

TRAFFIC SAFETY PRODUCTS

Product	Product Description
Stackable Delineator	
DELIN 003	Stackable T-top delineator"Transportation made easy".Delineators stack on top of each other and dramatically reducing cartage space required.Height: 1.1 metre Weight: 10 kg
Barricade Mesh	
MESH 002	Standard barricade mesh - 50 metres - 1 metre high
Reflective Safety Vests	
ODLU	Florescent orange or lime with silver - reflective stripes 001- V-XL Velcro Front Orange 001- V-XXXL Velcro Front Orange 002- Z-XL Zipper Front Orange 002 Z-XXXL Zipper Front Orange 003 V-XL Velcro Front Lime 003 V-XXXL Velco Front Lime 004 Z-XL Zip Front Lime 004 Z-XXXL Zip Front Lime
BLE JY222A	VIC Roads safety vest 005 V-XL Velcro Front 005 V –XXXL Velcro Front 006 Z-XL Zipper Front 006 Z-XXXL Zipper Front

41

TRAFFIC SAFETY PRODUCTS



TRAFFIC SAFETY PRODUCTS

Product		Product Description
Economy Barricade Tape	9	
		Economy barricade tape in various styles & lengths.
- 60		60 Micron
THE REAL		Econo Tape - Red/White – 75mm x 50m
	TAPE 001	Econo Tape – Black/Yellow – 75mm x 50m
	TAPE 002	Econo Tape - Red/White – 75mm x 100m
	TAPE 003	
	TAPE 004	Econo Tape – Black/Yellow – 75mm x 100m
No. Al	TAPE 004	Econo Tape - Red/White – 75mm x 300m
	TAPE 005	Econo Tape – Black/Yellow – 75mm x 300m
	TAPE 006	
Barricade Tape		
		Barricade tape with various text options.
		All tape – 75mm x 300 mtrs
-	TAPE 018	Barricade Tape – Yellow "Caution"
-THERE D	TAPE 019	Barricade Tape – Yellow "Do Not Enter"
	TAPE 020	Barricade Tape – Yellow "Caution Spill Area"
	TAPE 021	Barricade Tape – Yellow "Caution Men Working"
	TAPE 022	Barricade Tape – Yellow "Caution Wet Paint"
	TAPE 023	Barricade Tape – Red/White "Danger Do Not Enter"

WAREHOUSE SAFETY PRODUCTS

Product Description
Pallet racking end guard
Designed to protect the end of each row of racking.
2 sizes available:
Single Row
Double Row
Pallet racking leg guards Designed to protect the intermediate legs on your racking system.
Rubber docking guard 40h x 50w x 300 long (004) 40h x 50w x 1000 long (005) 65h x 80w x 300mm long (006) 65h x 80w x 1000mm long (007) 90h x 115w x 300mm long (008) 90h x 115w 1000mm long (009) All sizes in millimetres
Pallet gate Pallet Gate was designed for the safe and ergonomic handling of pallets loads in raised storage areas. The gate can be put in different positions.
Polite Pallet Gate 2400mm long (suits 2 pallets) Polite Pallet Gate 1200mm long (suits 1 pallet)

44

CAR PARKING PRODUCTS – CONVEX MIRRORS

Product	Product Description	
Convex Mirror		
	Indoor/outdoor safety convex mirror	
	Sizes available:	
	Mirror U-100 - 1000mm diameter	
MIRROR U-100	Mirror U-80 - 800mm diameter Mirror U-60 - 600mm diameter	
MIRROR U-80 MIRROR U-60		
MIRROR U-45		
Brackets – Wall & Post Mounted		
MIRROR B –POST	Standard post mount bracket	
MIRROR B-WALL	Wall mount bracket	
MIRROR B-E WALL	Extended wall mount bracket	

45

CAR PARKING PRODUCTS – WHEEL STOPS

Product	Product Description
Concrete Wheel Stop	
KERB PSS-160	Concrete wheel stop Complies with latest Australian Standard: AS/NZ 2890.1 2004 1650mm long x 100mm high
Prefabricated Galvanised Metal	Wheel Stop
KERB PSS-158	Prefabricated galvanised wheel stop Complies with latest Australian Standard: AS/NZ 2890.1 200 1650mm long x 100mm high
Plastic Wheel Stop	
KERB PSS-159 (Grey) KERB PSS-159Y (Yellow)	Plastic wheel stop - grey Plastic wheel stop - yellow Weighs Only 17kg - Big Savings On Freight & Installation Costs 1650mm long x 100mm high Fasteners Required (3 off) Concrete – FIXING 004 Asphalt/Bitumen – FIXING 006
Rubber Wheel Stop	
KERB PSS – 161 KERB PSS – 161B	Rubber wheel stop - black & yellow Made from Recycled Rubber Weighs Only 17kg 1650mm long x 100mm high Fasteners Required (3 off) Concrete – FIXING 004 Asphalt/Bitumen – FIXING 006
Truck Wheel Stop	
СНОСК 003	Hot dip galvanised wheel stop. Heavy Duty Laser cut construction. Weight: 58 kg Wide: 800 mm Long: 1000 mm
Rubber Wheel Chocks	
Сноск оо1	Rubber Wheel Chocks Weight: 3.1kgs Size: 270x120x180mm

46