




THE  
**SUPERGUARD**  
SERIES



**EXPANDABLE CROWD CONTROL BARRIERS**



POLITE ENTERPRISES CORPORATION

# SUPERGUARD



- *Ideal for outdoor applications.*



- *Quick & easy to deploy in times of emergency.*



- *Keeping crowds under control.*



Super-Guard is a portable, free-standing expandable crowd control barrier that is ideal for use in rigorous and tough applications such as emergencies, road works, industrial spillage and cleaning situations or to isolate hazards from both people and traffic.

Weighing just 13kg, the heavy duty Super-Guard unit is 950mm high, can expand up to 3.5metres in length and is only 380mm wide in its closed position. No complex assembly is required making deployment quick and easy.

Constructed from a steel/aluminium combination, Super-Guard is extremely durable and able to withstand the rigours and abuse of any building, roadworks or industrial site where heavy duty performance is a must. A powder coated finish in the caution colours of yellow and black for high visibility, ensures that Super-Guard is maintenance free and performs consistently. It can also, if required, be colour matched to an existing corporate colour scheme.

Nylon spacers between the aluminium scissors ensure a smooth operating action. Rubber feet on the legs give enhanced stability and prevent marking on tiled or polished floor surfaces when used indoors. Optional feet weights or extension feet are also available to provide extra stability and prevent movement of the Superguard when used in windy conditions outside. If a large area needs to be isolated the Super-Guard barriers can be interlocked together to form a continuous barricade.

Super-Guard is currently used by construction companies, parking facilities, manufacturing and warehouse complexes, loading docks, emergency services and maintenance contractors in a wide variety of situations. It is the perfect solution where a temporary, heavy duty barrier is required to control people or traffic.



- **LIGHTWEIGHT** • **SIMPLE & EASY TO USE** • **CONSTRUCTION**
- **EXTERIOR USE** • **MAINTENANCE FREE** • **HIGH**

# SAFEGUARD



- Designed specifically for the cleaning industry.



- Extremely lightweight-less than 5kg.



- Favoured by tradespeople due to its ease of operation.

Safe-Guard is our new lightweight, commercial style expandable barricade. It was developed out of the need for a lightweight and more portable barricade for indoor use. Designed with purpose built oval shaped aluminium legs and plastic moulded feet, it is not only functional but stylish and attractive when in use.


Weighing less than 5kg it is perfect for use in shopping centres, hospitals, department stores, in fact anywhere with high volumes of pedestrian traffic. Safe-Guard is available in highly visible white and red or can be tailored to complement your interior decor.

Safe-Guard is simple to use. A single unit will expand up to a maximum of 3 metres. If a longer barrier is required the units lock together providing a continuous barricade that is still lightweight to manoeuvre. Optional feet weights are also available to provide extra stability against movement from large crowds or if Safe-Guard is to be used outdoors.

When the hazard has been cleared or the maintenance work completed, Safe-Guard simply folds up to a compact unit only 330mm wide for easy storage. Shopping centres, hotels, hospitals, fast-food restaurants, supermarkets, schools, universities, airport facilities, cleaning and maintenance contractors have all found Safe-Guard to be the answer to their short term pedestrian traffic control situations.



- Add weight plates for even greater stability.



**IMPACT STORAGE • STRONG & DURABLE • QUICK DEPLOYMENT • HIGHLY VISIBLE • EXPANDS TO VARIOUS LENGTHS • NO**


# FLEXIGUARD

Flexi-Guard is very similar to the heavy duty Super-Guard with one added feature - Flexi-Guard has a middle leg component which is hinged to the expanding barricade section allowing it to bend or flex in the centre. This is extremely practical when you have irregular shaped hazards. One of the most common uses is to join 2 units to create a square pen, ensuring the hazard or work area is contained from traffic.

Another feature of Flexi-Guard is the fold-up/fold-down feet, which make the units even more compact for storage in confined spaces or transportation in small service vans.



Two units used to create a safe work area



Expanding to an extra long 5.5 metres, the units can be interlocked together to form a continuous barricade, that is flexible at the same time. Highly visible in red and white with strong and stable feet, Flexi-Guard is the perfect traffic or control device for locations that are confined or irregular in shape.

Used by utility companies (gas, water and electrical services), general building or maintenance contractors, and emergency services personnel, Flexi-Guard is ideal for the isolation and securing of manholes, elevators and escalators under repair, maintenance on external areas of buildings and emergency situations such as spills.

# ISO GUARD

Iso-Guard was developed out of the need for a barrier system that specifically isolated dangerous machinery such as Press Brakes, Guillotines, Conveyors, Rollers, in fact any machinery with large moving and dangerous mechanical parts.



Installed with a tamper resistant electrical lock that can be interfaced with any form of operational control, Iso-Guard cuts power to the machinery the instant it is opened. No further activity or operation of the machinery is possible until Iso-Guard is reinstated.

Constructed from a strong and durable aluminium and steel combination, Iso-Guard is easily adapted to fit onto or around any form of machinery. Deployment is quick and easy and the hazard colours of yellow and black ensure visibility and awareness of the device.

**EMPLOYMENT • FREE STANDING • INTERIOR USE  
ASSEMBLY REQUIRED • FULLY GUARANTEED**

# SECURAGUARD


Secura-Guard is a purpose designed expandable barricade to prevent pedestrian traffic using escalators that have stopped operating. In the event of the escalator breaking down, maintenance or security staff can quickly deploy Secura-Guard units at the top and bottom of the escalator, preventing use until repair or maintenance is complete.

Secura-Guard units are stored in a closed and locked position. When placed within the inside of the escalator and unlocked they will automatically open and expand outward, via their internal spring mechanism. The combination of the outward force generated by the spring mechanism and the suction pads on each side of the unit, ensures Secura-Guard is held firmly in place within the confines of the escalator.

If required, the Secura-Guard units can be stored in their own compact storage cases and mounted on the outside of the escalator or close at hand for easy deployment.



Opens automatically via internal spring mechanism



## ACCESSORIES AND OPTIONS



**Wall Mounting Brackets** attach your Super-Guard to a wall and the bracket allows the unit to pivot in any direction as it extends from the wall. Locking bracket can be fixed on adjacent wall or column to secure Super-Guard in place. **Suitable for Super-Guard & Iso-Guard models only.**



**Hanging Sign Brackets** can be attached to any size sign. The bracket simply drops over any of the slat connecting points to prominently display your warning sign or information message. **Fits all models.**



**T-Sign Brackets** are designed to hold a smaller, more compact sign. The sign and bracket fit easily into the top of either leg on the Super-Guard, Flexi-Guard and Iso-Guard models. **Suitable for Super-Guard, Flexi-Guard & Iso-Guard models.**



**Lamp-Flag Bracket** also fits easily into the top of either leg on the Super-Guard and Flexi-Guard models and will hold a hazard warning lamp and a danger flag for added warning of potential hazards. **Suitable for Super-Guard & Flexi-Guard models only.**



**Castor Feet** are the ideal solution for superior manoeuvrability. Simply wheel unit into position and when stationary, lock castors in place to prevent any movement. **Suitable for Super-Guard and Safe-Guard models only.**



**Extension Feet** provide even greater stability if units are used outside, especially in high wind areas or when they need to be left on site and secured to the ground. **Suitable for Super-Guard models only.**



**Fixed Position Locking Bar** provides greater flexibility and security allowing you to lock Super-Guard or Flexi-Guard units in 5 different positions: 1 metre; 2 metres; 2.5 metres; 3 metres or fully extended at 3.5 metres. **Suitable for Super-Guard & Flexi-Guard models only.**



**Transportation Trolley** can move up to 8 units at a time. In situations where multiple units are required, the transportation trolley makes deployment and removal quick, easy & convenient. **Suitable for all models.**

# COLOURS



**Super-Guard** is supplied in the standard colours of yellow and black for hazard warning or white and red for danger warning.

**Safe-Guard** is supplied in white and red as standard.

**Flexi-Guard** is supplied in red and white as standard.

**Secura-Guard** is supplied in white and yellow as standard.

**Iso-Guard** is supplied in the standard hazard warning colours of yellow and black.

**Custom colour combinations:** all barriers can be powder coated to any colour or combination of colours. Additional cost may apply.

## Fully accessorised and interlocked Super-Guard units

1. Sign Brackets.
2. Locking Bar: locks Super-Guard in closed position so it can be carried.
3. Accessories: flashing lamp/lamp bracket; small sign bracket; large sign bracket; extension legs; leg with castor; fixed position locking bar.
4. Handle: for ease of carrying. Acts as a locking mechanism to join Super Guards together.
5. Removable legs: for compact storage legs can be easily removed or replaced with either extension or castor legs accessories.
6. Sleeve for fitting handle to interlock Super Guards

