


Bus Shelters

Polite Enterprises Corporation for all your bus shelter needs



www.polite.com.au
1800 Polite (765 483)



BELL



Typical Length 3000 mm
 Typical Width 1705 mm
 Typical Headroom 2245 mm

Side 900 mm
 Colour Optional
 Glazing Optional

BHP1



Typical Length 3000 mm
 Typical Width 2100 mm
 Typical Headroom 2100 mm

Side 900 mm
 Colour Optional
 Glazing Optional

BHP2



Typical Length 3000 mm
 Typical Width 2100 mm
 Typical Headroom 2100 mm

Side 900 mm
 Colour Optional
 Glazing Optional

BHP3



Typical Length 3000 mm
 Typical Width 2100 mm
 Typical Headroom 2100 mm

Side 900 mm
 Colour Optional
 Glazing Optional

COACH1



Typical Length 3000 mm
 Typical Width 1705 mm
 Typical Headroom 2245 mm

Side N/A
 Colour Optional
 Glazing Optional

COACH2



Typical Length 5000 mm
 Typical Width 1600 mm
 Typical Headroom 2300 mm

Side 1040 mm
 Colour Optional
 Glazing Optional

CSBS1



Typical Length 3000 mm
 Typical Width 1200 mm
 Typical Headroom 2400 mm

Side 900 mm
 Colour Optional
 Glazing Optional

CSBS2



Typical Length 0 mm
 Typical Width 1200 mm
 Typical Headroom 2400 mm

Side 900 mm
 Colour Optional
 Glazing Optional

CSBS3



Typical Length 0 mm
 Typical Width 1200 mm
 Typical Headroom 2400 mm

Side 900 mm
 Colour Optional
 Glazing Optional

EDWARDIAN



Typical Length 3000 mm
 Typical Width 1440 mm
 Typical Headroom 2100 mm

Side 1200 mm
 Colour Optional
 Glazing Optional

GRAND STAND



Typical Length 6000 mm
 Typical Width 2000 mm
 Typical Headroom 2100 mm

Side Optional
 Colour Optional
 Glazing Optional

MELTON



Typical Length 2600 mm
 Typical Width 1100 mm
 Typical Headroom 2100 mm

Side 1040 mm
 Colour Optional
 Glazing Optional

METRO



Typical Length 3500 mm
 Typical Width 1700 mm
 Typical Headroom 2300 mm

Side 1700 mm
 Colour Optional
 Glazing Optional

PIPELINE



Typical Length 3000 mm
 Typical Width N/A mm
 Typical Headroom 2100 mm

Side N/A mm
 Colour Optional
 Glazing Optional

THE RESINATOR



Typical Length 3000 mm
 Typical Width 1600 mm
 Typical Headroom 2190 mm

Side N/A mm
 Colour Optional
 Glazing Optional

RUBIX



Typical Length 3000 mm
 Typical Width 1400 mm
 Typical Headroom 2100 mm

Side N/A mm
 Colour Optional
 Glazing Optional

STEALTH



SPECS
 Typical Length 2600 mm
 Typical Width N/A mm
 Typical Headroom 2100 mm
 Side N/A mm
 Colour Optional
 Glazing Optional

SUBURBAN



SPECS
 Typical Length 3000 mm
 Typical Width 1200 mm
 Typical Headroom 2100 mm
 Side N/A mm
 Colour Optional
 Glazing Optional

TRANSIT



SPECS
 Typical Length 4500 mm
 Typical Width 1200 mm
 Typical Headroom 2500 mm
 Side N/A mm
 Colour Optional
 Glazing Optional

ULTRA



SPECS
 Typical Length 3000 mm
 Typical Width 1440 mm
 Typical Headroom 2190 mm
 Side 1040 mm
 Colour Optional
 Glazing Optional

URBAN



SPECS
 Typical Length 3000 mm
 Typical Width 1440 mm
 Typical Headroom 2100 mm
 Side 1040 mm
 Colour Optional
 Glazing Optional

WALKWAY



SPECS
 Typical Length Optional
 Typical Width Optional
 Typical Headroom 2100 mm
 Side N/A mm
 Colour Optional
 Glazing Optional

Features

Roof
 Corrugated colourbond
 Seating
 Timber or Aluminium
 Glazing
 Laminated Glass
 or Acrylic
 Drainage
 Concealed
 Size
 Can be adapted to
 any specification

Quality Control

Some of the construction materials used for our bus shelters include, but are not limited to; high strength steel posts, corrosive free aluminum, and powder coat. Please ask us for any custom requirement.

Our innovative design team is continually expanding our product offering and regularly consults with architects, engineers and local government authorities to provide functional solutions to our valued clients.

Installation Services

Polite Enterprises can provide a complete service package for the installation of our busshelters.

Our fully trained and experienced installation team offers an unsurpassed level of service with minimum disruption to pedestrian or traffic flow.

Polite Enterprises can co-ordinate on site installation 7 days a week, 24 hours a day if necessary



All work guaranteed

After sales service

Superior quality at a competitive price

Formed in 1986, Polite Enterprises Corporation Pty Ltd (PEC) has built an outstanding reputation for product excellence, quality and customer service.

Our wide range of products can be seen around the world, helping our customers meet their traffic and safety requirements.

We specialise in the development of a wide range of both standard and customised Bus Shelters, designed to complement the surrounding environment and infrastructure. Manufactured in Australia for Australian conditions, our shelters provide unique alternatives that enhance the urban landscape.

Our innovative design team is continually expanding our product offering and regularly consults with architects, engineers and local government authorities to provide functional solutions to our valued clients. Australia's major companies, government utilities, councils, hospitals, universities and airports.

Web

www.polite.com.au

Email

info@polite.com.au

Freecall

1800 Polite (765 483)

Polite Group of Companies;

- Polite Enterprises Corporation
- Car Stackers International
- Eco Solar Lighting
- Loading Dock Technologies

Victoria (Head Office)

Tel 03 9462 7400

Fax 03 9462 7411

274 Wolseley

Place,

Thomastown VIC

3074

New South Wales

Tel 02 9831 2855

Fax 02 98312822

15 Valediction

Rd, Kings Park

NSW 2148

Queensland

Tel 07 3910 0107

Fax 07 38904428

1/32 Northlink Place,

Virginia Highway QLD 1440

